

SECUREBAR SERIES

SecureBar™

Versatile Loadlock For Light Truck & Passenger Vehicles. Durable square tubing provides added strength. It is versatile and can be used in pickups, SUVs, vans and passenger cars. The soft rubber feet provide excellent grip and won't mark surfaces. Retail package is a 46" four color card with pictures and instructions for use. Hangs vertical or horizontal on standard peg hooks. Adjusts continuously from 44" to 78". Easy operation - Positive locking lever action and quick thumb release. Zinc plated for maximum rust protection.



Versatility Plus Strength

Durable square tubing provides added strength. Can be used in pickups, SUVs, vans and passenger cars.

Soft Rubber Feet Grip

The soft rubber feet provide excellent grip and won't mar surfaces. Choose between a large-end rubber foot or small-end rubber foot.

Easy Operation With Locking Lever

For an easy operation you can depend on the locking lever action and quick thumb release. Adjusts continuously from 44" to 78".

Zinc Plated

You don't need to worry about rust when it comes to the SecureBar... Zinc plated, it is "secure" from all rust. No need to worry if it is exposed to rain or water.

SECUREBAR SERIES

MATERIAL/FINISH

- Durable square tubing; zinc plated

REACH

- 44"-78"

APPLICATION

- Cargo control



[WWW.KITO.CA](http://www.kito.ca) | 1.888.322.KITO (5486)


All specifications, dimensions and drawings are available at www.kito.ca, or call our Customer Service staff for friendly and expert advice on models and options.

CARGO BARS 2

SECUREBAR SERIES

PRODUCTS SPECIFICATIONS

Product	Package Type	Reach	Weight Each	Quantity Per Pkg.
GrabBar	Bundle	46" - 106"	17.50 Lbs.	2
GrabBar Stop Collar (For CC5200)	Carton		1.00 Lbs.	6
Replacement Foot (Large for CC5225)	Carton		0.42 Lbs./Ea.	12
Replacement Foot (Small for CC5225)	Carton		0.42 Lbs./Ea.	12
SecureBar CargoBar - Bulk Pkg.	Crate	44 - 78	6.00 Lbs.	160
SecureBar CargoBar - Retail Pkg.	Carton	44 - 78	6.00 Lbs.	4



SECUREBAR SERIES

RELATED PRODUCTS