This V10 Eye Sling Hook with Latch is equipped with a durable latch, protecting the load from slipping off the hook. Most commonly used with choker chain slings, this Grade 100 sling hook meets or exceeds OSHA, Government, NACM, and ASTM specs. This Italian made product is guenched and tempered before proof testing and comes in a blue powder coat finish.

#### **FEATURES**

- Grade 100
- · Premium fine grain alloy steel
- Made in Italy
- Quenched and tempered before proof testing
- Blue powder coat finish
- Meets or exceeds OSHA, Government, NACM, and ASTM specs
- Equipped with a durable latch for added safety
- Full, wide throat (choker hitch)
- · Commonly used with choker chain slings





WWW.KITO.CA | 1.888.322.KITO (5486)

V10 ALLOY CHAIN **ACCESSORIES** 

### **GRADE**

• 100

#### **FINISH**

• Blue Powder Coat Finish

#### **STANDARDS**

• Meets or exceeds OSHA, Government, NACM, and ASTM specs

#### **ATTACHMENT**

Eye

## **HEAT TREATMENT**

Quenched and tempered before proof testing

#### **ORIGIN**

Made in Italy

### **HOOK TYPE**

· Sling Hook with latch

#### **APPLICATION**

Overhead Lifting


#### **MATERIAL**

• Premium Fine Grain Alloy Steel



2

## **DIAGRAM DRAWINGS**



## PRODUCTS SPECIFICATIONS

Product	Manufacturer Part No.	Chain Size Inches	Chain Size mm	Dim D	Dim E	Dim F	Dim G	Dim H	Dim O	Dim O1	Dim R	Lbs. Per Ea.	Working Load Limit (Lbs.)
8917100	CAX06SF	7/32	6	0.709	0.394	0.787	0.650	0.827	0.984	0.748	3.327	0.73	2700
8917200	CAX08SF	9/32 - 5/16	7 - 8	0.945	0.433	0.984	0.748	1.063	1.260	0.984	4.173	1.23	5700
8917400	CAX10SF	3/8	10	1.181	0.630	1.339	1.024	1.299	1.575	1.220	5.157	2.65	8800
8917600	CAX13SF	1/2	13	1.496	0.748	1.693	1.299	1.654	1.890	1.535	6.457	5.18	15000
8917700	CAX16SF	5/8	16	1.732	0.984	1.969	1.575	1.969	2.165	1.772	7.185	8.20	22600
8917800	CAX20SF	3/4	20	2.087	1.063	2.165	1.890	2.126	2.402	2.126	8.071	13.12	35300
8917900	CAX22SF	7/8	22	2.362	1.142	2.362	1.969	2.402	2.795	2.402	8.858	17.35	42700

4

