

# V10 OBLONG MASTER LINKS SERIES

---

Versatile and high-strength. The V10 Oblong Master Link is a vital chain sling component. Engineered for use with crane hooks in endless rigging applications. Fabricated with premium fine grain alloy steel.



## FEATURES

- Grade 100
- Premium Fine Grain Alloy Steel
- Made in Italy
- Blue powder coat paint
- For overhead lifting, suited for use with wire rope, chain, and slings

# V10 OBLONG MASTER LINKS SERIES

---

## GRADE

- 100

## FINISH

- Blue Powder Coat Finish

## STANDARDS

- Meets or exceeds OSHA, Government, NACM, and ASTM specs

## ATTACHMENT

- n/a

## HEAT TREATMENT

- Quenched and tempered before proof testing

## ORIGIN

- Made in Italy

## LINK TYPE

- Master Link

## APPLICATION

- Overhead Lifting

## MATERIAL

- Premium Fine Grain Alloy Steel



[WWW.KITO.CA](http://www.kito.ca) | 1.888.322.KITO (5486)

All specifications, dimensions and drawings are available at [www.kito.ca](http://www.kito.ca), or call our Customer Service staff for friendly and expert advice on models and options.


2

V10 ALLOY CHAIN  
ACCESSORIES

# V10 OBLONG MASTER LINKS SERIES

---

## DIAGRAM DRAWINGS



# V10 OBLONG MASTER LINKS SERIES

## PRODUCTS SPECIFICATIONS

Product	Manufacturer Part No.	Trade Size (Inches)	Trade Size mm	Dim A	Dim B	Dim C	Lbs. Per Ea.	WLL 2 Leg Chain Sling @ 60°
8851000	XDA13	1/2	13	0.513	2.362	4.331	0.8	4700
8851100	XDA16	5/8	16	0.630	2.362	4.331	1.2	7400
8851200	XDA18	3/4	18	0.748	2.953	5.315	2.0	9900
8851300	XDA22	7/8	22	0.866	3.543	6.229	3.3	15200
8851400	XDA26	1	26	1.063	3.937	7.087	5.5	26000
8851500	XDA32	1-1/4	32	1.299	4.331	7.874	9.3	39100
8851600	XDA36	1-1/2	38	1.496	5.906	10.827	16.5	61100
8851700	XDA45	1-3/4	45	1.772	7.087	13.386	28.3	74000
8851800	XDA51	2	50	1.969	7.480	13.780	36.4	103400
8851900	XDA57	2-1/4	60	2.362	7.874	15.748	59.5	156600

