

V10 EYE FOUNDRY HOOKS SERIES

The V10 Eye Foundry Hook is made of premium quality, alloy steel and offers a unique feature - a wider throat to accommodate a variety of attachments. This Italian made foundry hook is approved for overhead lifting and is mainly used in a workshop or factory that produces metal castings. Quenched and tempered before proof testing, this Grade 100 Foundry Hook is of premium quality and will never let you down - just the load itself. It meets or exceeds OSHA, Government, NACM, and ASTM specs and comes in a blue powder coat finish.



FEATURES

- Grade 100
- Made from premium fine grain alloy steel
- Made in Italy
- Quenched and tempered before proof testing
- Blue powder coat finish
- Meets or exceeds OSHA, Government, NACM, and ASTM specs
- Suitable for foundry work

V10 EYE FOUNDRY HOOKS SERIES

GRADE

- 100

FINISH

- Blue Powder Coat Finish

STANDARDS

- Meets or exceeds OSHA, Government, NACM, and ASTM specs

ATTACHMENT

- Eye

HEAT TREATMENT

- Quenched and tempered before proof testing

ORIGIN

- Made in Italy

HOOK TYPE

- Foundry Hook

APPLICATION

- Overhead Lifting

MATERIAL

- Premium Fine Grain Alloy Steel



[WWW.KITO.CA](http://www.kito.ca) | 1.888.322.KITO (5486)


All specifications, dimensions and drawings are available at www.kito.ca, or call our Customer Service staff for friendly and expert advice on models and options.

2

V10 ALLOY CHAIN
ACCESSORIES

V10 EYE FOUNDRY HOOKS SERIES

DIAGRAM DRAWINGS



V10 EYE FOUNDRY HOOKS SERIES

PRODUCTS SPECIFICATIONS

Product	Manufacturer Part No.	Chain Size Inches	Chain Size mm	Dim E	Dim F	Dim G	Dim H	Dim O	Dim R	Lbs. Per Ea.	Working Load Limit (Lbs.)
8977200	CYX08	9/32 - 5/16	7 - 8	0.531	0.709	1.024	1.220	2.520	4.823	2.49	5700
8977400	CYX10	3/8	10	0.630	0.866	1.260	1.417	3.071	5.866	4.39	8800
8977600	CYX13	1/2	13	0.748	1.063	1.535	1.693	3.504	6.949	7.30	15000
8977700	CYX16	5/8	16	4.016	0.945	1.772	1.890	1.850	8.268	11.50	22600
8977800	CYX20	3/4	20	4.488	1.102	2.126	2.362	2.205	10.236	23.46	35300