

TRANSPORT (G70) DOUBLE CLEVIS LINK

When you need that quick connection... you can count on this Transport G70 Double Clevis Link. It may be tiny but this thing has a Working Load Limit of up to 11,300 lbs. Its durability is a result of its fabrication - quenched and tempered, drop forged alloy steel. It meets DOT/CVSA/CCMTA requirements and comes in a yellow zinc finish. Use with Grade 70 chain. NOT for overhead lifting.



TRANSPORT (G70) DOUBLE CLEVIS LINK

GRADE

- 70

FINISH

- Yellow Zinc

STANDARDS

- Meets DOT/CVSA/CCMTA requirements

HEAT TREATMENT

- Drop forged, quenched and tempered

APPLICATION


- Hardware and Industrial Accessories
- Used for making quick connections with chain

MATERIAL

- Drop Forged Alloy Steel

TRANSPORT (G70) DOUBLE CLEVIS LINK

DIAGRAM DRAWINGS



TRANSPORT (G70) DOUBLE CLEVIS LINK

PRODUCTS SPECIFICATIONS

| Product | Chain Size Inches | Finish | Dim A (in.) | Dim D (in.) | Dim G (in.) | Dim R (in.) | Quantity Per Pkg. | Lbs. Per Ea. | Working Load Limit (Lbs.) | Working Load Limit (kg) |
|---------|-------------------|-------------|-------------|-------------|-------------|-------------|-------------------|--------------|---------------------------|-------------------------|
| 8057235 | 1/4 - 5/16 | Yellow Zinc | 0.47 | 0.38 | 0.43 | 1.18 | 10 | 0.33 | 4700 | 2132 |
| 8057435 | 3/8 | Yellow Zinc | 0.53 | 0.47 | 0.48 | 1.34 | 10 | 0.60 | 6600 | 2994 |
| 8057635 | 7/16 - 1/2 | Yellow Zinc | 0.65 | 0.56 | 0.63 | 1.75 | 10 | 1.00 | 11300 | 5127 |