

V10™ EYE FOUNDRY HOOKS

The V10™ Eye Foundry Hook offers a unique wide throat opening to accommodate a variety of attachments. Approved for overhead lifting, it is mainly used in a workshop or factory that produces metal castings. The V10™ Eye Foundry Hook is engineered to meet or exceed OSHA, Government, NACM, and ASTM standards. All V10™ products are accompanied with a product test certificate.



V10™ EYE FOUNDRY HOOKS

GRADE

- 100

FINISH

- Blue Powder Coat Finish

STANDARDS

- Safety factor 4:1 Meets or exceeds ASTM A952 & OSHA 910 Standards
- Fatigue Tested at 1.5 times the WLL for 20,000 cycles
- Proof Tested at twice the WLL

ATTACHMENT

- Eye

HEAT TREATMENT

- Quenched and tempered before proof testing

ORIGIN

- Made in Italy

HOOK TYPE

- Foundry Hook

APPLICATION


- Overhead Lifting Suitable for foundry work

MATERIAL

- Premium Fine Grain Alloy Steel

V10™ EYE FOUNDRY HOOKS

DIAGRAM DRAWINGS



V10™ EYE FOUNDRY HOOKS

PRODUCTS SPECIFICATIONS

Product	Manufacturer Part No.	Chain Size Inches	Chain Size mm	Dim E (in.)	Dim F (in.)	Dim G (in.)	Dim H (in.)	Dim O (in.)	Dim R (in.)	Lbs. Per Ea.	Working Load Limit (Lbs.)
8477200	CYX08	9/32 - 5/16	7 - 8	0.531	0.709	1.024	1.22	2.52	4.823	2.49	5700
8477400	CYX10	3/8	10	0.63	0.866	1.26	1.417	3.071	5.866	4.39	8800
8477600	CYX13	1/2	13	0.748	1.063	1.535	1.693	3.504	6.949	7.3	15000
8477700	CYX16	5/8	16	4.016	0.945	1.772	1.89	1.85	8.268	11.5	22600
8477800	CYX20	3/4	20	4.488	1.102	2.126	2.362	2.205	10.236	23.46	35300