

# V10™ SELF-LOCKING SWIVEL HOOKS

---

The V10™ Self-locking Swivel Hook features a swiveling collar allowing for 360 degree hook rotation. Its positive locking latch ensures safety and security during lifts and while under load. Quenched and tempered before proof testing, the V10™ Self-locking Swivel meets or exceeds OSHA, Government, NACM, and ASTM specs. All V10™ products are accompanied with a product test certificate.



# V10™ SELF-LOCKING SWIVEL HOOKS

---

## GRADE

- 100

## FINISH

- Blue Powder Coat Finish

## STANDARDS

- Meets or exceeds ASTM A952, NACM, & OSHA 910 Standards
- Fatigue Tested at 1.5 times the WLL for 20,000 cycles
- Proof Tested at twice the WLL
- Safety factor 4:1

## ATTACHMENT

- Swivel Eye

## HEAT TREATMENT

- Quenched and tempered before proof testing

## ORIGIN

- Made in Italy

## HOOK TYPE

- Self-Locking Hook

## APPLICATION

- Overhead Lifting


## MATERIAL

- Premium Fine Grain Alloy Steel

# V10™ SELF-LOCKING SWIVEL HOOKS

---

## DIAGRAM DRAWINGS



# V10™ SELF-LOCKING SWIVEL HOOKS

## PRODUCTS SPECIFICATIONS

Product	Manufacturer Part No.	Chain Size Inches	Chain Size mm	Dim D (in.)	Dim E (in.)	Dim F (in.)	Dim G (in.)	Dim H (in.)	Dim O (in.)	Dim R (in.)	Lbs. Per Ea.	Working Load Limit (Lbs.)
8499100	CRGX06	7/32	6	1.377	0.512	1.377	0.63	0.807	1.102	6.229	1.76	2700
8499200	CRGX08	9/32 - 5/16	7 - 8	1.713	0.512	1.378	0.787	1.024	1.339	7.126	2.43	5700
8499400	CRGX10	3/8	10	2.205	0.63	1.654	0.965	1.181	1.772	8.583	4.41	8800
8499600	CRGX13	1/2	13	2.717	0.787	1.929	1.358	1.575	2.028	10.591	8.82	15000
8499700	CRGX16	5/8	16	3.15	0.945	2.362	1.398	1.969	2.362	12.559	14.99	22600