

316 STAINLESS STEEL FOUNDRY SORTING HOOKS

This 316 Stainless Steel Foundry Sorting Hook, USA made and fabricated to Grade 80 dimensions, is approved for overhead lifting but can also be used for other applications. With the addition of molybdenum, the 316 Stainless Steel has greater corrosion resistance, improved resistance to pitting from chloride ion solutions, and an increased strength at elevated temperatures. Plus, with the electropolishing anti-corrosion treatment, there's no question this will best suit those corrosive or food-safe environments, not to mention it can be easily cleaned. This foundry hook is certified to OSHA and ASME standards.



316 STAINLESS STEEL FOUNDRY SORTING HOOKS

GRADE

- 316

FINISH

- Electropolished

STANDARDS

- Certified to OSHA and ASME standards

ATTACHMENT

- Eye

ORIGIN

- Made in USA

HOOK TYPE

- Foundry Sorting Hook

APPLICATION


- Custom Lifting

MATERIAL

- Stainless Steel

316 STAINLESS STEEL FOUNDRY SORTING HOOKS

DIAGRAM DRAWINGS



316 STAINLESS STEEL FOUNDRY SORTING HOOKS

PRODUCTS SPECIFICATIONS

| Product | Trade Size (in.) | Dim A (in.) | Dim B (in.) | Dim C (in.) | Dim D (in.) | Dim E (in.) | Lbs. Per Ea. | Working Load Limit (Lbs.) |
|---------|------------------|-------------|-------------|-------------|-------------|-------------|--------------|---------------------------|
| SFS050 | 1/2 | 0.500 | 6.000 | 0.560 | 3.000 | 1.500 | 0.70 | 200 |
| SFS063 | 5/8 | 0.630 | 6.000 | 0.560 | 3.000 | 1.500 | 1.10 | 300 |
| SFS075 | 3/4 | 0.750 | 6.000 | 0.750 | 3.000 | 1.500 | 2.00 | 500 |
| SFS100 | 1 | 1.000 | 6.000 | 0.750 | 3.000 | 1.500 | 3.00 | 900 |
| SFS125 | 1-1/4 | 1.250 | 6.000 | 1.000 | 3.000 | 1.500 | 5.00 | 1500 |