

BOATMAN'S PRIDE™ G43 HIGH TEST ISO CHAIN

Boatman's Pride™ G43 High Test ISO Chain is a high tensile strength carbon steel anchor chain. It has an ISO short link making it more flexible and ideally suited as a windlass chain. This chain has a hot dip galvanized finish and is embossed with HG4. NOT for overhead lifting.



BOATMAN'S PRIDE™ G43 HIGH TEST ISO CHAIN

GRADE

- 43

FINISH

- Hot dip galvanized

STANDARDS

- Industry standards

HEAT TREATMENT

- No heat treatment

ORIGIN

- Made in USA

APPLICATION

- Marine Chain

MATERIAL

- High tensile strength carbon steel

BOATMAN'S PRIDE™ G43 HIGH TEST ISO CHAIN

PRODUCTS SPECIFICATIONS

Product	Package Type	Finish	Trade Size (in.)	Wire Dia. (in)	Inside Dim. Length (Nominal) (in.)	Inside Dim. Width (Min) (in.)	Quantity Per Pkg.	Net Weight (Lbs.)	Working Load Limit (Lbs.)	Working Load Limit (kg)
8610833	Wood Crate	HDG	3/8	0.399	1.220	0.580	1800	2673	5400	2450
700140401	Half Drum	HDG	1/4	0.274	0.845	0.400	400	299	2600	1180
700140402	Full Drum	HDG	1/4	0.274	0.845	0.400	800	598	2600	1180
700140501	Half Drum	HDG	5/16	0.330	1.030	0.490	275	292	3900	1770
700140502	Full Drum	HDG	5/16	0.330	1.030	0.490	550	584	3900	1770
700140631	Half Drum	HDG	3/8	0.399	1.220	0.580	200	297	5400	2450
700140632	Full Drum	HDG	3/8	0.399	1.220	0.580	400	594	5400	2450
700191732	Pail	HDG	1/4	0.274	0.845	0.400	100	75	2600	1180
700191733	Wood Crate	HDG	1/4	0.274	0.845	0.400	3600	2693	2600	1180
700191734	Wood Crate	HDG	5/16	0.330	1.030	0.490	2800	2971	3900	1770
701340801	Pail	HDG	5/16	0.330	1.030	0.490	125	133	3900	1770