

V10 SHORTENING CLUTCH SERIES

This V10, Italian made shortening clutch shortens chain without losing any of its working load limit. Quenched and tempered before proof testing, it proves how safe it really is. A quality product that comes in a variety of sizes with a Working Load Limit up to 22,600 lbs. It meets or exceeds OSHA, Government, NACM, and ASTM specs and comes in a blue powder coat finish.



FEATURES

- Grade 100
- Made from premium fine grain alloy steel
- Made in Italy
- Quenched and tempered before proof testing
- Blue powder coat finish
- Meets or exceeds OSHA, Government, NACM, and ASTM specs
- Chain doesn't lose its working load limit
- Easy connection to chain

V10 SHORTENING CLUTCH SERIES

GRADE

- 100

FINISH

- Blue Powder Coat Finish

STANDARDS

- Meets or exceeds OSHA, Government, NACM, and ASTM specs

HEAT TREATMENT

- Quenched and tempered before proof testing

ORIGIN

- Made in Italy

APPLICATION

- Overhead Lifting

MATERIAL

- Premium Fine Grain Alloy Steel



[WWW.KITO.CA](http://www.kito.ca) | 1.888.322.KITO (5486)


All specifications, dimensions and drawings are available at www.kito.ca, or call our Customer Service staff for friendly and expert advice on models and options.

2

V10 ALLOY CHAIN
ACCESSORIES

V10 SHORTENING CLUTCH SERIES

DIAGRAM DRAWINGS



V10 SHORTENING CLUTCH SERIES

PRODUCTS SPECIFICATIONS

Product	Manufacturer Part No.	Trade Size (Inches)	Trade Size mm	Dim A	Dim B	Dim C	Dim D	Dim E	Dim F	Dim G	Dim P x L	Lbs. Per Ea.	Working Load Limit (Lbs.)
8948100	CXX06	7/32	6	0.315	0.315	0.394	0.315	0.748	1.772	0.906	0.30 x 0.69	0.46	3100
8948200	CXX07	9/32	7	0.374	0.374	0.394	0.374	0.925	2.205	1.142	0.35 x 0.89	1.06	4300
8948300	CXX08	5/16	8	0.374	0.374	0.394	0.374	0.925	2.205	1.142	0.39 x 0.89	1.06	5700
8948400	CXX10	3/8	10	0.472	0.472	0.571	0.472	1.280	3.071	1.417	0.51 x 1.24	2.47	8800
8948600	CXX13	1/2	13	0.610	0.610	0.709	0.610	1.732	3.543	1.378	0.63 x 1.65	4.04	15000
8948700	CXX16	5/8	16	0.748	0.827	0.827	0.748	1.969	4.173	1.496	0.83 x 2.03	6.24	22600

