

ACCOLOY® EYE GRAB HOOKS

The Accoloy® Eye Type Grab Hook is an excellent choice for overhead lifting and is also suitable for other applications. The whole chain link is supported by the cradle and therefore keeps 100% of its Working Load Limit. The Canadian made cradle grab hook is a reliable choice as it meets the latest guidelines of the NACM and ASTM A391/A391M (Grade 80) or ASTM A973/A973M (Grade 100).



ACCOLOY® EYE GRAB HOOKS

GRADE

- 80 and 100

FINISH

- Self- colored or powder coated red

STANDARDS

- Meet the latest guidelines of the NACM and ASTM A391/A391M (Grade 80) or ASTM A973/A973M (Grade 100)

ATTACHMENT

- Eye

HEAT TREATMENT

- Quenched and tempered before proof testing

ORIGIN

- Made in USA

HOOK TYPE

- Grab Hook

APPLICATION


- Overhead Lifting

MATERIAL

- Premium quality, high strength alloy steel

ACCOLOY® EYE GRAB HOOKS

DIAGRAM DRAWINGS



ACCOLOY® EYE GRAB HOOKS

PRODUCTS SPECIFICATIONS

Product	Chain Size Inches	Chain Size mm	Grade	Dim D (in.)	Dim E (in.)	Dim F (in.)	Dim G (in.)	Dim H (in.)	Dim I (in.)	Lbs. Per Ea.	Working Load Limit (Lbs.)
592202051	11/4	32	80	10.500	1.500	2.250	2.500	15.563	8.250	40.0	72300
592202077	3/4	20	80	6.250	0.938	1.500	1.406	9.469	5.469	8.2	28300
592202078	7/8	22	80	7.25	1.094	1.750	1.625	11.000	6.375	12.1	34200
592202079	1	26	80	8.000	1.188	1.875	1.813	12.156	6.750	19.9	47700
592252072	9/32	7	100	2.688	0.344	0.625	0.609	4.125	2.375	0.7	4300
592252073	3/8	10	100	3.375	0.484	0.813	0.734	5.031	2.844	1.2	8800
592252075	1/2	13	100	4.250	0.641	1.031	0.969	6.469	3.719	2.6	15000
592252076	5/8	16	100	5.281	0.781	1.250	1.188	8.000	4.563	4.9	22600

ACCOLOY® EYE GRAB HOOKS

RELATED PRODUCTS