

TRANSPORT (G70) DOUBLE CLEVIS LINK

When you need that quick connection... you can count on this Transport G70 Double Clevis Link. It may be tiny but this thing has a Working Load Limit of up to 11,300 lbs. Its durability is a result of its fabrication - quenched and tempered, drop forged alloy steel. It meets DOT/CVSA/CCMTA requirements and comes in a yellow zinc finish. Use with Grade 70 chain. NOT for overhead lifting.



TRANSPORT (G70) DOUBLE CLEVIS LINK

GRADE

- 70

FINISH

- Yellow Zinc

STANDARDS

- Meets DOT/CVSA/CCMTA requirements

HEAT TREATMENT

- Drop forged, quenched and tempered

APPLICATION


- Hardware and Industrial Accessories
- Used for making quick connections with chain

MATERIAL

- Drop Forged Alloy Steel

TRANSPORT (G70) DOUBLE CLEVIS LINK

DIAGRAM DRAWINGS



TRANSPORT (G70) DOUBLE CLEVIS LINK

PRODUCTS SPECIFICATIONS

Product	Chain Size Inches	Finish	Dim A (in.)	Dim D (in.)	Dim G (in.)	Dim R (in.)	Quantity Per Pkg.	Lbs. Per Ea.	Working Load Limit (Lbs.)	Working Load Limit (kg)
8057235	1/4 - 5/16	Yellow Zinc	0.47	0.38	0.43	1.18	10	0.33	4700	2132
8057435	3/8	Yellow Zinc	0.53	0.47	0.48	1.34	10	0.60	6600	2994
8057635	7/16 - 1/2	Yellow Zinc	0.65	0.56	0.63	1.75	10	1.00	11300	5127